

Bring Home ^{Ultimate} Purity 

abhi ro
WATER PURIFIER

WHAT **REACHES**
THE **GLASS** MATTERS.



DOMESTIC WATER SOLUTIONS
END-TO-END.

WWW.ABHIROWATER.COM

Abhi RO delivers complete domestic water solutions for everyday homes. Along with our own range of water purification systems and accessories, we are authorised dealers for multiple trusted brands in the domestic water segment. From RO and filtration systems to fittings and storage solutions, our focus is on providing safe, reliable, and great-tasting water for families living in apartments, independent houses, and villas.

With a strong understanding of household water challenges, we help customers choose the right solution from the right brand. Backed by genuine products, quality components, and dependable support, Abhi RO brings together systems, accessories, and service to make clean water a simple part of daily life.

PRODUCT & BRAND INDEX

Clyde	1
Acquetta Accessories	2
Sarwan's Wave	4
Alfa UV	12
ORG	13
Purella	15
Bio+	17
Lexpure	20
Zed Systems	25
Cruze	27
Senco	29
Atlantis	30
Aishwaryam Filters.....	32
Acquetta SS Water Tanks	36

water purifier
abhiro





MODEL TYPE

15LPH | 25LPH | 50LPH

TECHNOLOGY

RO+UV+UF

RO+UV+UF+COPPER+ALK



UNCOMPROMISING
QUALITY



CORROSION
FREE



FUTURISTIC
TECHNOLOGY



MODELS



Under Sink



SALIENT FEATURES

- Quick and easy installation.
- Less than 10 mins. required for servicing.
- Intelligent digital touch screen display.
- Intelligent filter change alarm.
- Float failure alarm.
- Intelligent design which prevents entry of insects and cockroaches.
- Both side (left & right) power and water supply connection.
- Auto flushing of membrane.
- Hassle free change of filter and spun.
- UV protected tank.
- Smooth TDF adjustment through UF.
- Tank storage capacity 11L.



**INLINE FILTERS
PUSH FIT**



**INLINE FILTERS
JACO**



SPUN FILTER



**CHARGER TYPE
SMPS**



WOUND FILTER



SMPS



**IRON REMOVAL
FILTER**



**CTO CARBON
FILTER**



**PLEATED
CARTRIDGE**



UF PRE-FILTER SET



FILTER HOUSING



SOLENOID VALVE



100 GPD BOOSTER PUMP



RO MEMBRANE



SPUN FILTER CARTRIDGE



UF MEMBRANES



DOMESTIC UF MEMBRANE

AUTHORIZED DEALER OF

SARWAN'S
WAVE™

KRYSTAL WHITE

Purification Stages: RO + UV + UF | RO

Storage: 14 L

Dimension: H - 21", D - 7.7", W - 14.7"



KRYSTAL BLUE

Purification Stages: RO + UV + UF | RO

Storage: 14 L

Dimension: H - 21", D - 7.7", W - 14.7"

KRYSTAL PLUS

Purification Stages: RO + UV + UF | RO

Storage: 9 L

Dimension: D - 7.7", W - 14.7", H - 21"



KRYSTAL AUTO TDS

Purification Stages: RO + UV + UF + Alkaline
Controls TDS Automatically

Storage: 14 L

Dimension: H - 21", D - 7.7", W - 14.7"

Available Colors 



KRYSTAL DIGITAL

Purification Stages: RO + UV + UF + Alkaline

Storage: 14 L

Dimension: H - 21", D - 7.7", W - 14.7"

Available Colors



KRYSTAL BLACK

Purification Stages: RO + UV + UF | RO

Storage: 14 L

Dimension: H - 21", D - 7.7", W - 14.7"



STERLIN

Purification Stages: UV + UF

Storage: 7 L

Dimension: H - 15.5", D - 8", W - 14"

UTC

Purification Stages: RO + UV + UF | RO

Storage : 4 GLN

Dimension: H - 12", D - 7.7", W - 14.7"



DELUXE

Purification Stages: RO

Storage: 7 L

Dimension: H - 18.5", D - 7.7", W - 14"



KOMBO

Purification Stages: RO + UV + UF

Storage: 7 L

Dimension: H - 18.5", D - 7.7", W - 14"

4G ACE (Hot & Cold)

Purification Stages: RO + UV + UF + ALKALINE

Storage : Normal Tank 7L

Hot Tank 1L | Cold Tank 0.8L

Dimension: H - 16", D - 11", W - 20"

Available Colors ■ ■ ■ ■ ■



5G PRO TOUCH (Hot & Cold)

Purification Stages: RO + UV + UF + ALKALINE

Storage : Normal Tank 7L

Hot Tank 1L | Cold Tank 0.8L

Dimension: H - 16", D - 11", W - 20"

Available Colors ■ ■ ■ ■ ■



TNT

Purification Stages: RO + UV + UF + Alkaline + Auto TDS

Storage: Normal Tank 9 L

Dimension: H - 21", D - 11", W - 15"

Available Colors ■ ■

TNT PRO (Hot & Normal)

Purification Stages: RO + UV + UF + Alkaline + Auto TDS

Storage: Hot Tank 1 L | Normal Tank 9 L

Dimension: H - 21", D - 11", W - 15"

Available Colors ■ ■



TNT PRO (Hot, Cold & Normal)

Purification Stages: RO + UV + UF + Alkaline + Auto TDS

Storage: Hot Tank 1 L | Cold Tank 0.8 L | Normal Tank 9 L

Dimension: H - 21", D - 11", W - 15"

Available Colors ■ ■

S-400 / S-100

Purification Stages: RO + UV + UF + Alkaline + Auto TDS

Storage: 7 L

Capacity: S-400 - 50LPH RO / S-100 - 15LPH RO

Dimension: H - 15.5", W - 8", D - 15.5"





COMPACT

50 LPH

RO SYSTEM

COMMERCIAL SYSTEM

Purification Stages: RO
Storage: Normal Tank 9l
Dimension: H-21", D-11", W-15"

COMPACT

100 LPH

RO SYSTEM

COMMERCIAL SYSTEM

Purification Stages: RO
Compact System of 100 LPH
Dimension: H-21", D-11", W-15"



i7 RO + IONIZER

INBUILT 50 LPH RO + 7 PLATES IONIZER



7 TITANIUM PLATES PLATINUM COATED



50 LPH RO



AUTO TDS
CONTROLLER



7 LITERS
STORAGE CAPACITY



FOOD GRADE
ABS PLASTIC



TOUCH SCREEN
INTUITIVE DISPLAY



TABLE TOP | WALL MOUNT |
UNDER THE SINK



HOT WATER
OPTIONAL



MOBILE
APPLICATION

WE DO NOT USE ANY CHEMICAL TO ACHIEVE HIGH pH VALUES

ALKAGEN IONIZER

ALKALINE WATER IONIZER



Connect with Existing RO



Alkaline
Water

Purified Water

Only Ionizer Connect
With Any RO System

Dimension:
Height - 15.5", Front - 8", Width - 3.5"

Touch Screen Display

6 Types of Water pH Range 3 to 11



UNDER THE SINK FAUCET

SEAMLESS & SLEEK

Keep your kitchen clutter free with a hidden installation

PREMIUM TOUCH FAUCET

Enjoy purified, ionized water at your finger tips

SAVES COUNTER SPACE

Enjoy purified, ionized water at your
Ideal for modern, minimalist kitchens

ADDITIONAL FAUCET ALSO AVAILABLE FOR MODULAR KITCHENS

HOT WATER OPTIONAL



INDIA'S 1 UTC RO + IONIZER

EASY INSTALLATION | NO BULKY PRESSURE TANK NEEDED

ENJOY A STEADY 2.25 L/MIN WATER FLOW EFFORTLESSLY





ECSSLITE

No.	MODEL	FLOWRATE	INLET / OUTLET SIZE
1	UV MINILITE	100 LPH	1/4 "BSP (M)
2	ECS004L	250 LPH	1/4 "BSP (M)
3	ECS007L	400 LPH	1/2 "BSP (M)
4	ECS010L	650 LPH	1/2 "BSP (M)
5	ECS015L	750 LPH	3/4 "BSP (M)
6	ECS025L	1380 LPH	3/4 " BSP (M)
7	ECS040L	2100 LPH	1" BSP (M)
8	ECS070L	4500 LPH	1.5" BSP (M)



ECOSTREAM SERIES

No.	MODEL	FLOWRATE	INLET / OUTLET SIZE
1	ECS60R	3400 LPH	1" BSP
2	ECS100R	6200 LPH	1" BSP
3	ECS150R	8900 LPH	1.5" BSP
4	ECS250R	15000 LPH	2" BSP
5	ECS310R	18500 LPH	2" BSP



RO Scale Free



Scale Free Appliances



Softener Mini



**Scale Free
Tank**



**Inline Welded Sediment
and Carbon Filter**



**UF Mini
(Openable)**



**TDS Controller
Valve**



Tank Inlet



Flow Restrictor



Adjustable Flow Restrictor



Pre-filter Housing



Membrane Housing



FR for High Recovery RO System



UV Barell



Float with Switch

ORG

SUPRA+ 3 LED | 6 LED



AVAILABLE IN 3 COLOURS



RO+UV+ALKALINE

- Available in 3 LED & 6 LED display models
- 40% water recovery
- 8.5 liters anti-microbial storage tank
- ISI certified purifier
- NSF, WPS & ROHS certified filters
- ABS, food grade, recyclable plastic
- Most suitable for TDS level upto 3000 PPM (inlet water)
- Long filter life upto 7200 liters

SILK

RO+UV+UF ALKALINE+COPPER


- 5.5 liters SS304 grade storage tank
- Dual sealing protection for tank
- Interactive led display
- ISI certified purifier
- NSF, WPS & ROHS certified filters
- Most suitable for TDS level upto 3000 PPM (inlet water)
- Long filter life upto 7200 liters



CLEVER

RO+ALKALINE

- 8 liters anti-microbial storage tank
- 3 LED indicators-smart tracking
- ISI certified purifier
- NSF, WPS & ROHs certified filters
- Most suitable for TDS level upto 3000 PPM (inlet water)
- Long filter life upto 7200 liters



ECO

UV 3 STAGE PURIFICATION



- 30 LPH flowrate
- Dual sealing protection for tank
- ISI certified purifier
- NSF, WPS & ROHs certified filters
- Low maintenance design



purella

NEBULAVIBE WATER PURIFIER NON-ELECTRIC POT

- **4-Stage Purification:** Comprehensive filtration with Sediment, GAC, UF, and H2AAA Filters.
- **Health-Boosting Alkaline Water:** Increases pH, adds molecular hydrogen, and infuses essential minerals like calcium, magnesium, and potassium.
- **Antibacterial Protection:** Filters out bacteria and harmful particles up to 0.01 microns.
- **Improved Taste & Hydration:** Enjoy fresher, cleaner, and better-tasting water every time.
- **Non-Electric Operation:** Simple and efficient, perfect for any home or office.
- **User-Friendly Design:** Detachable 11L tank and high bottom stand for easy access and maintenance.



GRAVITY-BASED AA WATER PURIFIER

- Non-electric, Gravity Based Water Purification
- Removes Chlorine, Bacteria, Dust Particles, & Other Impurities
- 20 liters of total storage capacity - 11 liters lower tank
- Purified Water to be used for Water Enhancement
- Adds pH, & Minerals
- pH & Minerals Cartridge Life 2500
- Sediment Filtration (life 3 months approx)

PURIFICATION | ANTIBACTERIAL | MINERALISING | ALKALINE

HYDROGEN GENERATING WATER BOTTLE

SPECIFICATIONS

Input Water	Purified Water
Voltage	220V, 50-60 HZ, SV, 2A
Battery Capacity	3000 mAh
Cup Capacity	500 ml
Antioxidant (ORP)	Up to -750 mv
Dissolved Hydrogen	Up to 1500 ppb
Package Content	Hydrogen-rich Water Generating Bottle AA Stick Inhalation Pipe Cap for Inhalation User Manual Warranty Card
Fully Charged Battery	60 cycles in one full charge (3 min cycle)
Hydrogen Produce Cycle	3 and 10 min
Colour	Blue, White, & Black



OZONIZER



SPECIFICATIONS

Power Consumption	12 w
Ozone Output	500 mg/hr
Ozone Working Time	05:30 min
Circulation Time	1-6 hrs
Product Size	19 x 19 x 9 cm
Colour Box Size	24 x 13x 27 cm
Net Weight	1.1 Kg
Gross Weight	1.25 Kg



H2AAA MINERALISING INDUSTRIAL FILTERS

WATER PURIFIER CAPACITY	FILTER/VESSEL SIZE	MIX MEDIA (IN KG)	APPROX LIFE (IN LITER)
25 LPH RO	10" Slim Filter	0.6	15,000
50 LPH RO	10" Jumbo Filter	1.2	20,000
100 LPH RO	20" Slim Filter	1.5	40,000
250 LPH RO	20" Jumbo Filter	2.6	50,000
500 LPH RO	8" x 44" Vessel	20	3,75,000
1000 LPH RO	10" x 54" Vessel	35	6,25,000
2000 LPH RO	10" x 54" Vessel	50	8,75,000
4000 LPH RO	13" x 54" Vessel	70	12,50,000
6000 LPH RO	13" x 54" Vessel	85	15,00,000
8000 LPH RO	16" x 65" Vessel	110	18,75,000
10,000 LPH RO	16" x 65" Vessel	140	22,50,000

Bio⁺



AUTHORIZED DEALER OF

Lexpure®
PURIFIER SERIES

SERIES Grace



B12 H2AAA RO WITH MAGNESIUM
& AUTO TDS CONTROLLER
TECHNOLOGY

LUXURY



ZINC ALKALINE RO
WITH MAGNESIUM
& TDS CONTROLLER
TECHNOLOGY

REGULAR



ZINC ALKALINE RO
WITH MAGNESIUM &
TDS CONTROLLER
TECHNOLOGY.

PRIME

5 STAGE FILTRATION | 10 LTR. STORAGE | 18 LTR./HR. CAPACITY

- Drink the finest water with wound filter technology
- Hassle free installation-can be wall mounted or kept on counter top
- NSF Certified membrane in concealed form with working upto 2000*TDS
- Automatic TDS controller for better convenience
- Smart purifier with LED indicators
- Infused with zinc and alkaline filter for ultra pure water
- CE Certified Electric Components
- Premium Quality Tap.



ivory
SERIES

5 STAGE FILTRATION
10 LTR. STORAGE
18 LTR./HR. CAPACITY



5 STAGE RO

ALKALINE RO

100% food grade ABS Quality cabinet

Dual Safety Sediment filter

CE Certified electric components

Coconut Carbon filter

Higher self life of membrane with antiscalant technology
(works upto 2000* TDS)



fusion⁺
SERIES

5 STAGE FILTRATION
25 LPH
RO



25 Ltr./Hr. Capacity
With Pressure Gauge

25 Ltr./Hr. Capacity
With Tank

Premium Quality Stand

CE Certified Electric
Components

100% Food Grade Premium Housings

Certified Filters

Higher self life of membrane with
antiscalant technology (works upto
3000* TDS)

Acrylic Branding Panel

With Premium Cover

25 LPH UTC RO

5 STAGE
FILTRATION



Premium Quality Cabinet

Smart LED Indicators

Certified Filters

SS 304 Faucet

100% Food Grade Premium Housings

Acrylic Branding & LED Panel

CE Certified Electric Components

With Premium Cover

Higher Self life of Membrane
with Anti-scalant Technology
(works upto 3000* TDS)

Automatic Low & High
Pressure Manage Technology

With Premium Cover



50 LPH RO

5 STAGE
FILTRATION

50 Ltr./Hr.
Capacity
With Pressure
Gauge



75 LPH RO

4 STAGE
FILTRATION

75 Ltr./Hr.
Capacity
With Pressure
Gauge

DE-CHLORINATOR FILTER (35000 LTR.)

Premium Quality Stand

CE Certified Electric
Components

100% Food Grade Premium Housings

Certified Filters

Higher self life of membrane with
antiscalant technology (works upto
3000* TDS)

Acrylic Branding Panel

With Premium Cover

UF PURIFIER



UV PURIFIER



Premium Quality Stand

100% Food Grade Premium Housings

CE Certified Electric Components

Certified Filters

Acrylic Branding Panel

With Premium Cover



15 LPH
RO
18 LTR./HR.
CAPACITY

WORKS UPTO 2000 TDS
5 STAGE FILTRATION



WORKS UPTO 3000 TDS
6 STAGE FILTRATION

Premium Quality Plate/Stand | 100% Food Grade Premium Housings

CE Certified Electric Components | Certified Filters | With Premium Cover

Higher self life of membrane with antiscalant technology (works upto 3000* TDS) | Manual TDS Controller*

Coconut Carbon Filter | Acrylic Branding Panel

Opulent | CLASSIC

WOUND + BLOCK + SEDIMENT + RO + ZINC + TDS



INDIA'S FIRST
**SMART TIMER
TECHNOLOGY**
FOR FILTER CHANGES!

WOUND + BLOCK + SEDIMENT + RO +
ZINC ALKALINE + TDS

Lexipure®

HARMONY

**PURIFICATION: RO + UV + 3 IN 1
ZINC /ALKALINE / COPPER +
TDS CONTROL**



- Accord SMPS
- 1 Year Pump Warranty
- Unique Design, Digital Display
- Certified Membrane
- For Countertop / Wall Mounting
- Food Grade, Non-Breakable ABS Plastic Construction
- Purification Capacity of 12 to 15 Ltr./hr
- Tank Storage Capacity: 12 Ltr. (approx.)

ZEDTRON

**PURIFICATION: RO + UV + 3 IN 1
ZINC /ALKALINE / COPPER +
TDS CONTROL**



- Accord SMPS
- 1 Year Warranty Pump
- Unique Design
- With Cover
- Certified Membrane
- For Counter Top/wall Mounting.
- Digital Display
- Food Grade, Non Breakable, ABS Plastic Construction
- Purification Capacity of 12 to 15 Ltr./hr.
- Tank Storage Capacity : 12 Ltr. (approx)

BELLA +



AVA +



PURIFICATION: RO + UV + ALKALINE + TDS CONTROL

- Accord SMPS
- 1 Year Warranty Pump
- Unique Design
- Certified Membrane
- For Counter Top/Wall Mounting
- Digital Display

REVERSE OSMOSIS SYSTEM

**25
LPH**



**50
LPH**



NOBEL|series


15 LPH RO



25 LPH RO



25 LPH CPU TYPE



25 LPH RO WITH TANK



50 LPH RO



75 LPH RO



DOMESTIC



15 LPH



150 LPH



50 LPH

COMMERCIAL



LCD



LED

S.NO.	MODEL	CAPACITY LPH
1	SENCO RD 1	250
2	SENCO RD 2	500
3	SENCO RD 3	1000
4	SENCO RD 4	2000

S.NO.	MODEL	CAPACITY LPH
1	SENCO ED 1	250
2	SENCO ED 2	500
3	SENCO ED 3	1000
4	SENCO ED 4	2000

blue

TABLE TOP

TYPE: HOT & COLD

Cold Storage Capacity	3.5 Litres
Power Cold	110 Watts
Cold Temperature Range	7~17° C
Cooling Capacity	3 Litres/Hr
Hot Storage Capacity	1 Litre
Power Hot	500 Watts
Heating Capacity	5 Litres/Hr
H*W*D(mm)	500*330*300
Inbuilt Space for RO/UV System	No



PRIME

TABLE TOP

TYPE: HOT, COLD & NORMAL

Cold Storage Capacity	3.5 Litres
Power Cold	110 Watts
Cold Temperature Range	7~17° C
Cooling Capacity	3 Litres/Hr
Hot Storage Capacity	1 Litre
Power Hot	500 Watts
Heating Capacity	5 Litres/Hr
H*W*D(mm)	550*340*310
Inbuilt Space for RO/UV System	No



blue

FLOOR STANDING

TYPE: HOT & COLD

Cold Storage Capacity	3.5 Litres
Power Cold	110 Watts
Cold Temperature Range	7~17° C
Cooling Capacity	3 Litres/Hr
Hot Storage Capacity	1 Litre
Power Hot	500 Watts
Heating Capacity	5 Litres/Hr
H*W*D(mm)	920*330*330
Inbuilt Space for RO/UV System	No



PRIME

FLOOR STANDING

TYPE: HOT, COLD & NORMAL

Cold Storage Capacity	3.5 Litres
Power Cold	110 Watts
Cold Temperature Range	7~17° C
Cooling Capacity	3 Litres/Hr
Hot Storage Capacity	1 Litre
Power Hot	500 Watts
Heating Capacity	5 Litres/Hr
H*W*D(mm)	950*340*310
Inbuilt Space for RO/UV System	No



BIG Plus

FLOOR STANDING

TYPE: HOT & COLD

Cold Storage Capacity	8 Litres
Power Cold	120 Watts
Cold Temperature Range	7~17° C
Cooling Capacity	5 Litres/Hr
Hot Storage Capacity	1 Litre
Power Hot	500 Watts
Heating Capacity	5 Litres/Hr
H*W*D(mm)	1120*330*330
Inbuilt Space for RO/UV System	Yes



BASIC

TABLE TOP

TYPE: HOT & NORMAL

Hot Storage Capacity	1 Litre
Power Hot	550 Watts
Heating Capacity	5 Litres/Hr
H*W*D(mm)	430*325*325
Net Weight	2.2kgs
Inbuilt Space for RO/UV System	No



Super

FLOOR STANDING

TYPE: HOT, COLD & NORMAL

Cold Storage Capacity	15 Litres
Power Cold	150 Watts
Cold Temperature Range	7~17° C
Cooling Capacity	10 Litres/Hr
Hot Storage Capacity	1 Litre
Power Hot	500 Watts
Heating Capacity	5 Litres/Hr
H*W*D(mm)	1150*350*350
Inbuilt Space for RO/UV System	Yes



ATLANTIS

**20" & 10"
INDUSTRIAL HOUSING
(DOUBLE 'O' RING)**

AVAILABLE CONNECTION

1/2", 3/4" & 1" BSP

1/2", 3/4" & 1" Brass

Pressure Rating: 110 PSI



**30", 20" & 10"
JUMBO HOUSING
(DOUBLE 'O' RING)**

AVAILABLE CONNECTION

1" & 1.5" BSP

1" & 1.5" Brass 1" NPT

Pressure Rating: 110 PSI

**10" INDUSTRIAL HOUSING
(DOUBLE 'O' RING)**

AVAILABLE CONNECTION

1/2", 3/4" & 1" BSP & Brass

Pressure Rating: 90 PSI



**30", 20" & 10" JUMBO BAG FILTER ASSEMBLY
(DOUBLE 'O' RING)**

AVAILABLE CONNECTION

1" & 1.5" BSP

1" & 1.5" Brass 1" NPT

Pressure Rating: 110 PSI



**20" JUMBO BACK
WASHABLE UF
(Automatic & Manual)**



JUMBO MS SKID

'ASTROBOY'

80 LPH RO Plant with BYPASS System
2 x 300 GPD Membrane,
2 x 300 GPD Pressure Pump,
2 x Pressure Gauge, 1 Rotameter



MS SKID & BOX TYPE SKID



RO Box Type Skid - 100 Ltr.

With Rota Meter & Pressure Gauge



RO Plant & Skid - 150 Ltr.

150 LPH with 4 x 300 GPD Membrane



RO Plant & Skid - 25 Ltr.

25 LPH with 2 x 100 GPD Membrane



RO Plant & Skid - 100 Ltr.

100 LPH with 3 x 300 GPD Membrane




RO Plant & Skid - 50 Ltr.

50 LPH with 4 x 100 GPD Membrane

RO Plant & Skid - 80 Ltr.

80 LPH with 2 x 300 GPD Membrane

MS BRACKET



MS SKID

FOR INDUSTRIAL / JUMBO /
DOMESTIC FILTERS & RO PLANT



SS BRACKET



SS SKID

FOR INDUSTRIAL / JUMBO /
DOMESTIC FILTERS & RO PLANT



GAC

- 2.5" Dia & 4.5" Dia
- Multipurpose Canister - 20"
- Suitable for GAC, Mineral, Iron removal etc.



- 2.5" Dia & 4.5" Dia
- Multipurpose Canister 10" & Slimline Multipurpose Canister 14" & 5"
- Suitable for GAC, Mineral, Iron removal etc.

ACCESSORIES



PP Jumbo Double & Single Clamp



PP Triple Wave Clamp



PP Double Wave Clamp

PP Double Santro Clamp



Jumbo MS Clamp

Single, Double & Triple



Universal Clamp



PP Single Wave Clamp



PP RO Single Clamp



PP Industrial Single Clamp



Spanners for all type of Housing - 5" to Sumo



'C' Clip

HEX NIPPLE

1.5" / 1" / 3/4" / 1/2" / 1/4" 1/2 x 3/4



REDUCER

1x1/2, 1x3/4, 1.5x1, 1.5x3/4



HORIZONTAL SS WATER TANK

CAPACITY
**1000-5000
LITRES**

100%
FOOD GRADE
**AISI 304 & 316
GRADE
STAINLESS STEEL**



Easy
Handling



No Bacteria
No Fungus,
No Algae



Heat
Reflection



Instant Clean
Drain



Easy
Cleaning



Safe, Healthy
& Hygienic



Rust
Proof



No Harmful
Toxins

TECHNICAL SPECIFICATION

S.No	MODEL	HEIGHT	DIAMETER	MAHOLE DIAMETER	OUTLET	INLET	FLUSH	LENGTH	WEIGHT OF TANK
1	1000 LTRS	51"	40"	12"	1.5"	1"	1"	63"	40 KGS
2	1500 LTRS	59"	51"	12"	1.5"	1"	1"	60"	57 KGS
3	2000 LTRS	59"	51"	12"	1.5"	1"	1"	78"	79 KGS
4	3000 LTRS	64"	56"	12"	1.5"	1.5"	1"	85"	91 KGS
5	5000 LTRS	76"	65"	12"	2"	1.5"	1"	105"	153 KGS



VERTICAL SS WATER TANK

CAPACITY
**1000-5000
LITRES**

100% FOOD GRADE
**AISI 304 & 316
GRADE
STAINLESS STEEL**



Easy
Handling



No Bacteria
No Fungus,
No Algae



Heat
Reflection



Instant Clean
Drain



Easy
Cleaning



Safe, Healthy
& Hygienic



Rust
Proof



No Harmful
Toxins

TECHNICAL SPECIFICATION

S.No	MODEL	HEIGHT	DIAMETER	MAHOLE DIAMETER	OUTLET	INLET	FLUSH	THICKNESS	WEIGHT OF TANK
1	90 LTRS	24"	21.6"	15.5"	1"	1"	-	0.6mm	9 KGS
2	150 LTRS	30"	21.6"	15.5"	1"	1"	-	0.6mm	12 KGS
3	250 LTRS	40"	24"	15.5"	1"	1"	1"	0.6mm	13 KGS
4	300 LTRS	42"	28.5"	15.5"	1.5"	1"	1"	0.6mm	15 KGS
5	500 LTRS	63"	28.5"	15.5"	1.5"	1"	1"	0.6mm	24 KGS
6	1000 LTRS	67"	38.5"	15.5"	1.5"	1"	1"	0.6mm	35 KGS
7	1500 LTRS	73"	48.5"	15.5"	1.5"	1"	1"	0.6mm	44 KGS
8	2000 LTRS	85"	48.5"	15.5"	1.5"	1"	1"	0.6mm	51 KGS
9	3000 LTRS	87"	63"	20.7"	2"	1"	1"	0.8mm	105 KGS
10	5000 LTRS	124"	63"	20.7"	2"	1"	2"	0.8mm	130 KGS



ABHI RO WATER PURIFIER

📍 275, NSR Road, Near Karur Vysya Bank,
Coimbatore, Tamil Nadu - 641025, India.

☎ 0422 4274742 | 99430 99934 | 99430 88840 | 99430 99998

✉ sales@abhirowater.com 🌐 www.abhirowater.com

FOLLOW US ON    ABHIROCBE

MEMBER

